





# Einhell®



# ASORTIMAN 2016

- German
- Designed
- Quality

Einhell Germany AG



**Einhell®** WELL DONE.





## SADRŽAJ

### ZAVARIVANJE



Inverteri  
Aparati za zavarivanje

### KOMPRESORI I PRIBOR



### ELEKTRIČNI ALATI



Aku program  
Vibracione bušilice, čekić bušilice i mešači  
Ugaone brusilice, vibracione brusilice, stone brusilice  
Ostali ručni električni alati

### EXPERT ELEKTRIČNI ALATI



Aku program  
Vibracione bušilice, čekić bušilice i mešači  
Ugaone brusilice, vibracione brusilice  
Ostali ručni električni alati

### DIZALICE I ČIŠĆENJE



Građevinske dizalice  
Perači pod pritiskom  
Usisivači  
Usisivači za pepeo

### OBRADA DRVETA



### OBRADA METALA



### OBRADA KAMENA



### AUTO PROGRAM I AGREGATI



Auto program  
Agregati  
Polirke

### PROGRAM BAŠTA



Kosilice  
Trimeri  
Makaze za žbunje  
Kopačice  
Lančane testere  
Usisivači lišća  
Cepači drva  
Prskalice

### PROGRAM VODA



Potopne pumpe  
Baštenske pumpe  
Hidropaci  
Pribor



# Einhell®

German  
Designed  
Quality  
Einhell Germany AG



## ZAVARIVANJE

### BT-IW 100 Inverterski uređaj za zavarivanje

šifra artikla:  
**15.441.11**



- Osigurač: 16 A
- Struja zavarivanja: 10 - 80 A
- Napon praznog hoda: 85 V
- Elektrode: Ø 1.6 - 2.5 mm
- Interminenca: 12 % pri 80 A / 60 % pri 40 A / 100 % pri 35 A
- Težina: 5.3 kg

### BT-IW 150 Inverterski uređaj za zavarivanje

šifra artikla:  
**15.441.50**



- Set za WIG zavarivanje
- šifra artikla:  
**15.441.32**
- Osigurač: 16 A
  - Struja zavarivanja: 20 - 150 A
  - Struja zavarivanja (TIG): 20 - 170 A
  - Napon praznog hoda: 80 V
  - Elektrode: Ø 1.6 - 4.0 mm
  - Interminenca: 30 % pri 150 A / 60 % pri 105 A / 100 % pri 80 A
  - Interminenca (TIG): 30 % pri 170 A / 60 % pri 130 A / 100 % pri 110 A
  - Težina: 5.8 kg



### BT-EW 150 Aparat za elektrolučno zavarivanje

šifra artikla:  
**15.440.54**



- Osigurač: 16 A
- Struja zavarivanja IK maks: 40 - 80 A
- Napon praznog hoda: 48 V
- Elektrode: Ø 1.6 - 2.5 mm
- Težina: 10.85 kg



### BT-EW 150 V Aparat za elektrolučno zavarivanje

šifra artikla:  
**15.440.10**



- Osigurač: 16 A
- Struja zavarivanja IK maks: 40 - 100 A
- Napon praznog hoda: 48 V
- Elektrode: Ø 1.6 - 2.5 mm
- Težina: 13.3 kg



### BT-EW 160 Aparat za elektrolučno zavarivanje

šifra artikla:  
**15.460.40**



- Napon: 230 V / 400 V
- Osigurač: 16 A
- Prilagodljiva struja zavarivanja: 55 - 160 A
- Napon praznog hoda: 48 V
- Elektrode: Ø 2 - 4 mm
- Težina: 21.5 kg
- Kontinualno podešavanje struje zavarivanja
- Termalno isključivanje sa kontrolnom lampicom
- 2 naponska kabla 230 V / 400 V



### BT-EW 200 Aparat za elektrolučno zavarivanje

šifra artikla:  
**15.490.40**



- Napon: 230/400 V ~ 50 Hz
- Osigurač: 16 A
- Struja zavarivanja: 57 - 200 A
- Elektrode: Ø 2 - 4 mm
- Napon praznog hoda: 48 V
- Težina: 21.6 kg



**BT-GW 150**  
Aparat za gasno zavarivanje

- Struja zavarivanja  $I_2$ : 25-120 A (maks. 150 A)
- Regulacija struje zavarivanja: 6 pozicija
- Maks. bubanj sa žicom: 5 kg
- Žica za zavarivanje:  $\varnothing 0.6 - 0.8$  mm
- Brzina žice: kontinualna
- Napon praznog hoda  $U_0$ : 48 V
- Težina: 25.4 kg



šifra artikla:  
**15.749.70**

**BT-GW 170**  
Aparat za gasno zavarivanje

- Struja zavarivanja  $I_2$ : 25-135 A (maks. 170 A)
- Regulacija struje zavarivanja: 6 pozicija
- Maks. bubanj sa žicom: 5 kg
- Žica za zavarivanje:  $\varnothing 0.6 - 0.8$  mm
- Brzina žice: kontinualna
- Napon praznog hoda  $U_0$ : 40 V
- Težina: 34.6 kg



šifra artikla:  
**15.749.80**


**BT-GW 190 D**  
Aparat za gasno zavarivanje

- Napon: 230 V 1~/400 V 2~, 50 Hz
- Struja zavarivanja  $I_2$ : 25-160 A (maks. 190 A)
- Regulacija struje zavarivanja: 6 pozicija
- Maks. bubanj sa žicom: 5 kg
- Žica za zavarivanje:  $\varnothing 0.6 - 1.0$  mm
- Brzina žice: kontinualna
- Napon praznog hoda  $U_0$ : 41 V
- Težina: 38.1 kg



šifra artikla:  
**15.749.90**

**DIN zaštitna stakla 6/1**



- 5 čisto/1 zavarivanje

šifra artikla:  
**15.843.00**

**Kleme za masu**



- 200A

šifra artikla:  
**15.925.00**

**Držać elektroda**



- 200A

šifra artikla:  
**15.927.00**

**Čekić za šljaku**



šifra artikla:  
**15.841.10**

**Zaštitna maska za zavarivanje**



šifra artikla:  
**15.842.00**

**Naglavna zaštitna maska**



šifra artikla:  
**15.842.10**

**Autom. maska za zavarivanje 9-13**



šifra artikla:  
**15.842.50**



■ German  
■ Designed  
■ Quality  
Einhell Germany AG



■ German  
■ Designed  
■ Quality  
Einhell Germany AG



# Einhell®

German  
Designed  
Quality  
Einhell Germany AG

## KOMPRESORI I PRIBOR

### TH-AC 190 Kit Kompresor



šifra artikla:  
**40.205.36**

- Snaga: 1,1 kW
- Ulazni kapacitet: 180 l/min
- Izlazna snaga: 0 bara: 165 l/min  
4 bara: 83 l/min  
7 bara: 55 l/min
- Brzina: 15.000 min<sup>-1</sup>
- Radni pritisak: maks. 8 bar
- Broj cilindara: 1
- Težina: 5,3 kg



### TH-AC 200/24 OF Vazdušni kompresor



šifra artikla:  
**40.205.15**

- Snaga: 1.100W
- Ulazni kapacitet: 140 l / min
- Izlazna snaga: 0 bara 110 l/min  
4 bara 70 l/min  
7 bara 45 l/min
- Zapremina suda: 24 l
- Brzina: 2,850 min<sup>-1</sup>
- Radni pritisak: max. 8 bar
- Br. cilindara: 1
- Težina: 19 kg



\* zamenski artikal BT-AC 200/24 OF 40.205.05

### TE-AC 230/24 Vazdušni kompresor

**EXPERT**



šifra artikla:  
**40.104.60**

- Snaga: 1.5 kW (2 KS)
- Ulazni kapacitet: 230 l / min
- Izlazna snaga: 0 bara 132 l/min  
4 bara 102 l/min  
7 bara 83 l/min
- Zapremina suda: 24 l
- Brzina: 2,850 min<sup>-1</sup>
- Radni pritisak: max. 8 bara
- Broj cilindara: 1
- Težina: 24 kg



\* zamenski artikal BT-AC 230/24 40.103.50

### TH-AC 200/40 OF Vazdušni kompresor



šifra artikla:  
**40.205.16**

- Snaga: 1.1 kW (1.5 KS)
- Ulazni kapacitet: 140 l / min
- Izlazna snaga: 0 bara 110 l/min  
4 bara 70 l/min  
7 bara 45 l/min
- Zapremina suda: 40 l
- Brzina: 2,850 min<sup>-1</sup>
- Radni pritisak: max. 8 bara
- Broj cilindara: 1
- Težina: 22.5 kg



\* zamenski artikal BT-AC 200/50 OF 40.204.80

### TE-AC 270/50/10 Vazdušni kompresor

**EXPERT**



šifra artikla:  
**40.104.40**

- Snaga: 1.8 kW (2.5 KS)
- Ulazni kapacitet: 270 l / min
- Izlazna snaga: 0 bara 140 l/min  
4 bara 127 l/min  
7 bara 100 l/min
- Zapremina suda: 50 l
- Brzina: 2,850 min<sup>-1</sup>
- Radni pritisak: max. 10 bar
- Broj cilindara: 1
- Težina: 33 kg



\* zamenski artikal BT-AC 270/50 40.103.70

### TE-AC 400/50/10 Vazdušni kompresor

**EXPERT**



šifra artikla:  
**40.104.70**

- Snaga: 2400W
- Ulazni kapacitet: 400 l / min
- Izlazna snaga: 0 bara 241 l/min  
4 bara 208 l/min  
7 bara 175 l/min
- Zapremina suda: 50 l
- Brzina: 2,850 min<sup>-1</sup>
- Radni pritisak: max. 10 bara
- Broj cilindara: 2
- Težina: 39.4 kg



AIR POWER +25%  
10 bar

AIR POWER +25%  
10 bar





# Einhell®

## CLASSIC

German  
Designed  
Quality  
Einhell Germany AG



# ELEKTRIČNI ALATI

### TC-SD 3,6 Li

#### Akumulatorski odvijač



- Vreme punjenja: 3 – 5 sati
- Akumulator: 3.6 V
- Kapacitet baterije: 1,300 mAh
- Obrtni momenat: 3 Nm max.
- Tip baterije: Li-Ion
- Brzina: 200 min<sup>-1</sup>
- Prihvat nast. magnetski (6,35mm/1/4")



\* zamenski artikal BT-SD 3,6/1 Li 45.133.85

šifra artikla:

## 45.134.42

### TC-CD 12 Li

#### Akumulatorska bušilica



- Tip baterije: Li-Ion
- Baterija: 12 V, 1,300 mAh
- Brzina praznog hoda: 17 + 1
- 1. brzina: 0 – 300 min<sup>-1</sup>
- 2. brzina: 0 – 1,050 min<sup>-1</sup>
- Zakretni momenti: 17 + 1
- Vreme punjenja: oko 1 sat
- Maks. zakretni momenat: 20 Nm
- Težina: 1.1 kg



šifra artikla:

## 45.132.06

### TC-CD 14,4 2B

#### Akumulatorska bušilica



- Tip baterije: Ni - Cd
- Baterija: 14.4V, 1,100 mAh
- Brzina praznog hoda: 0 – 550 min<sup>-1</sup>
- 1. brzina: 19 + 1
- Zakretni momenti: 10mm
- Brzostezna glava: oko 3-5 sati
- Vreme punjenja: 18 Nm
- Maks. obrtni momenat: 1.48kg
- Težina:



2 baterije

\* zamenski artikal TH-CD 14.4 - 2 2B 45.135.35

šifra artikla:


## 45.135.42

### TH-CD 14,4-2 Li

#### Akumulatorska bušilica



- Tip baterije: Li-ion
- Baterija: 14.4V, 1,300 mAh
- Brzina praznog hoda: 0 – 350 min<sup>-1</sup>
- 1. brzina: 0 – 1,150 min<sup>-1</sup>
- 2. brzina: 19 + 1
- Zakretni momenti: oko 3-5 sati
- Vreme punjenja: 33 Nm
- Maks. zakretni momenat: 1.4 kg
- Težina:



šifra artikla:

## 45.136.70

### TC-CD 18-2 1h

#### Akumulatorska bušilica



- Tip baterije: Ni - Cd
- Baterija: 18 V, 1,100 mAh
- Brzina praznog hoda: 0 – 350 min<sup>-1</sup>
- 1. brzina: 0 – 1,100 min<sup>-1</sup>
- 2. brzina: 20
- Zakretni momenti: oko 1h
- Vreme punjenja: 30 Nm
- Maks. zakretni momenat: 1.7 kg
- Težina:



2 baterije

\* zamenski artikal TH-CD 18-2 2B 45.135.50

šifra artikla:

## 45.135.57

### TH-CD 18-2 Li

#### Akumulatorska bušilica



- Tip baterije: Li-ion
- Baterija: 18V, 1,300 mAh
- Brzina praznog hoda: 0 – 350 min<sup>-1</sup>
- 1. brzina: 0 – 1,150 min<sup>-1</sup>
- 2. brzina: 19 + 1
- Zakretni momenti: oko 3-5 sati
- Vreme punjenja: 40 Nm
- Maks. zakretni momenat: 1.5 kg
- Težina:



šifra artikla:

## 45.136.80

### TC-ID 650 E

#### Udarca bušilica



- Snaga: 650 W
- Broj obrtaja: 0 – 2,600 min<sup>-1</sup>
- Br. udaraca: 41600 min<sup>-1</sup>
- Kapacitet bušenja (drvo / beton / metal): 25 / 13 / 10 mm
- Težina: 1.8kg
- Prekidač okretanja desno/ levo



\* zamenski artikal BT-ID 650 E 42.586.58

šifra artikla:

## 42.586.82

### TC-ID 710 E

#### Udarca bušilica



- Snaga: 710 W
- Broj obrtaja: 0 – 2,700 min<sup>-1</sup>
- Br. udaraca: 43,200 min<sup>-1</sup>
- Kapacitet bušenja (drvo/ beton/ metal): 25 / 13 / 10 mm
- Težina: 2.1 kg
- Brzostezna glava
- "Softpainted" drška
- Elektronska regulacija brzine
- Prekidač okretanja desno/ levo

šifra artikla:

## 42.597.61



## TH-ID 1000 E Udarca bušilica



- Snaga: 1,010 W
- Br. obrtaja: 0 – 3,000 min<sup>-1</sup>
- Br. udaraca: 48,000 min<sup>-1</sup>
- Kapacitet bušenja (drvo/ beton/ metal): 32/ 16/ 13mm
- Težina: 2.2 kg
- Metalna stezna glava
- Prekidač za bušenje / udarno bušenje
- Velika drška sa „soft grip“-om
- Elektronska regulacija brzine
- Prekidač okretanja desno/ levo

šifra artikla:  
**42.598.25**

## TH-ID 1000 Kit Udarca bušilica Set



- Snaga: 1,010 W
- Br. obr. praznog hoda n<sub>0</sub>: 0 – 3,000 min<sup>-1</sup>
- Br. udaraca: 48,000 min<sup>-1</sup>
- Kapacitet bušenja (drvo/ beton/ metal): 32/ 16/ 13 mm
- Težina: 2.1 kg
- Prekidač okretanja desno/ levo
- Metalna stezna glava
- Velika drška sa „soft grip“-om

šifra artikla:  
**42.598.28**



## TH-DY 500 E Odvijač



- Snaga: 500 W
- Brzina praz. hoda: 0 – 2,200 min<sup>-1</sup>
- Težina: 1.9 kg
- Držak ¼" (6,35 mm) unutar šestougaoni
- Elektronska kontrola brzine
- Povratni prekidač za levo/desno
- Podešivač dubine
- Fiksirajuće dugme za kontinualne operacije
- Magnetski držak na steznoj glavi
- Automatsko pokretanje i zaustavljanje

šifra artikla:  
**42.599.05**



## TC-DW 225 Brusilica za zidove



- Snaga: 600 W
- Prečnik brusnog diska: 225 mm
- Dužina mrežnog kabela: 400 cm
- Brzina praznog hoda: 600 - 1500 min<sup>-1</sup>
- Dužina uređaja: 1100 - 1650 mm
- Podesiva teleskopska drška (do 165cm)
- Ergonomska prilagođenost (T-ručka) pri obradi plafona
- Opruga za kontrolisano prijanjanje brusne glave
- Zaštita od prelamanja creva za otprašivanje
- 6 brusnih ploča Ø225mm (2\*P60/2\*P80/2\*P120)



### Brusni papir za TC-DW 225 G120



šifra artikla:  
**42.599.21**

## TH-RH 900/1 Čekić bušilica



- Snaga: 900 W
- Broj obrtaja: 850 min<sup>-1</sup>
- Br. udaraca: 4,100 min<sup>-1</sup>
- Snaga udaraca: 3.0 J
- Kapacitet bušenja (beton): 26 mm
- Težina: 4.3 kg



\* zamenski artikal BT-RH 900 42.582.05

## TH-RH 1600 Čekić bušilica



- Snaga: 1,600 W
- Broj obrtaja: 800 min<sup>-1</sup>
- Broj udaraca: 3,900 min<sup>-1</sup>
- Snaga udaraca: 4 J
- Kapacitet bušenja: 32 mm (beton)
- Težina: 5,6 kg
- Robusno aluminijumsko kućište zupčanika
- Zaštita od preopterećenja



\* zamenski artikal BT-RH 1500 42.584.45

## 12 delni set burgija i dleta



SDS plus

- 1 kom Ø 5 x 110 mm
- 1 kom Ø 6 x 110 mm
- 1 kom Ø 6 x 160 mm
- 1 kom Ø 8 x 160 mm
- 1 kom Ø 10 x 160 mm
- 1 kom Ø 10 x 210 mm
- 1 kom Ø 12 x 210 mm
- 1 kom Ø 10 x 450 mm
- 1 kom Ø 12 x 450 mm
- 1 kom Ø 16 x 450 mm
- 1 kom šiljato dleto (250 mm dužine)
- 1 kom ravno dleto (250 mm dužine)
- Alu kofer

šifra artikla:  
**42.580.90**

## BT-DH 1600 Čekić za razbijanje



- Snaga: 1,600 W
- Broj udaraca: 1,500 min<sup>-1</sup>
- Snaga udaraca: 43 J
- Težina: 14.7 kg
- Hex glava: 30 mm
- Ravno dleto
- Šiljato dleto
- Plastični kofer za transport i čuvanje

**Pljosnato dleto 41.390.72**

**Klinasto dleto 41.390.73**

šifra artikla:  
**41.390.67**



German  
Designed  
Quality  
Einhell Germany AG



German  
Designed  
Quality  
Einhell Germany AG

**TC-MX 1100 E**  
Mešač za boju i malter



- Snaga: 1,050 W
- Broj obrtaja: 0 – 550 min<sup>-1</sup>
- Neto težina: 3.4 kg
- Metalno kućište prenosa
- Elektronska regulacija brzine
- Okretanje levo / desno



\* zamenski artikal BT-MX 1100 E 42.584.67

**TC-MX 1400 E**  
Mešač za boju i malter



- Snaga: 1,400 W
- Broj obrtaja: 0 – 750 min<sup>-1</sup>
- Prihvat: M 14
- Težina proizvoda: 3.82 kg
- Ergonomske drške
- Elektronska regulacija brzine
- Metalno kućište prenosa



**BT-EN 20**  
Električna heftalica



- Broj izbacivanja: 20/min
- Dimenzije spjalica: dužina 8-16 mm  
širina 11.2-11.4 mm  
debljina 1.16-1.26 mm
- Dimenzije ekserčića: dužina 14-16 mm  
debljina 1.16-1.26 mm
- Težina: 1.3 kg

Set municija 10mm 41.378.83

**BT-EN 30 E**  
Električna heftalica



- Broj udaraca: 30 / min
- Dimenzije spjalica: dužina: 15 - 25 mm  
širina: 6 mm  
debljina: 1.1 - 1.25 mm
- Dimenzije ekserčića: dužina: 15 - 32 mm  
debljina: 1.1 - 1.25 mm
- Težina: 1.86 kg

Set spjalica za heftalicu 41.378.80

**TC-CT 3,6 Li**  
Akumulatorska heftalica



- Baterija: 3.6 V | 1300 mAh | Li-Ion
- Vreme punjenja: 3-5h
- Broj udaraca: 30
- Tip municije: 53
- Dužina municije: 6 - 14 mm
- Širina municije: 11.4 mm
- Debljina municije: 0.75 mm
- Težina: 0.85 kg



**TC-JS 60**  
Ubodna testera



- Snaga: 410 W
- Broj uboda: 500 – 3,000 min<sup>-1</sup>
- Dubina reza: drvo 60 mm  
metal 6 mm  
plastika 10 mm  
maks. 45°
- Težina: 1.58 kg
- Adapter za odvajanje prašine



**TC-JS 80**  
Ubodna testera



- Snaga: 600 W
- Kosi rez: maks. 45°
- Broj uboda: 800 – 3,000 min<sup>-1</sup>
- Visina uboda: 18 mm
- Dubina reza: drvo 80 mm  
metal 10 mm  
plastika 20 mm
- Težina: 2.1 kg
- Adapter za odvajanje prašine



**TH-JS 85**  
Ubodna testera



- Snaga: 620 W
- Broj uboda: 800 – 3,000 min<sup>-1</sup>
- Visina uboda: 20 mm
- Dubina reza: drvo max. 85 mm  
metal max. 8 mm  
plastika max. 12 mm  
maks. 45°
- Kosi rez: maks. 45°
- Adapter za odvajanje prašine



**TC-AP 650 E**  
Višenamenska testera



- Snaga: 650 W
- Ubodi: 500 – 3,000 min<sup>-1</sup>
- Maks. dubina reza (drvo / metal): 150 / 10 mm
- Uključen rezni list
- Visina uboda: 20 mm
- Težina: 2.8 kg

šifra artikla:  
**43.261.41**

**650 WATT**



German  
Designed  
Quality  
Einhell Germany AG



**TH-CS 1200/1**  
**Ručni cirkular**




- Snaga: 1,230 W
- Broj obrtaja: 5,000 min<sup>-1</sup>
- Dubina reza 90°/45°: 55 / 37 mm
- Rezni list: Ø 160 x Ø 16 x 2.5 mm / 24 zuba
- Težina proizvoda: 3.7 kg
- Rezni list od tvrdog metala



šifra artikla:  
**43.309.36**

**TH-CS 1400/1**  
**Ručni cirkular**



- Snaga: 1,400 W
- Br. obrtaja: 5,200 min<sup>-1</sup>
- Dubina reza: kod 90° / 45° - 66 / 45 mm
- Rezni list: Ø 190 x Ø 30 x 2.5 mm / 24 z
- Težina: 4.3 kg
- Klin za odvajanje (prilagođava se dubini reza)
- Rezni list od tvrdog metala



šifra artikla:  
**43.309.37**

**BT-PL 750**  
**Električno rende**



- Snaga: 750 W
- Broj obrtaja n<sub>o</sub>: 16,500 min<sup>-1</sup>
- Dubina struganja / pregiba: 0-2 / 0-6 mm
- Širina struganja: 82 mm
- Težina: 3.1 kg



Set noževa 82mm 43.102.35

šifra artikla:  
**43.452.61**

**BT-PL 900**  
**Električno rende**



- Snaga: 900 W
- Broj obrtaja: 16,500 min<sup>-1</sup>
- Dubina struganja: 0 - 3 mm
- Širina struganja: 82 mm
- Neto težina: 3.1 kg
- Prilagodljiva dubina struganja
- Noževi od tvrdog metala



šifra artikla:  
**43.452.80**

**TH-RO 1100 E**  
**Električna glodalica**



- Snaga: 1,100 W
- Broj obrtaja: 11,000-30,000 min<sup>-1</sup>
- Dubinski hod: 55 mm
- Stezna klješta: Ø 8 i Ø 6 mm
- Višestepeni graničnik
- Blokiranje osovine
- Elektronska kontrola brzine



šifra artikla:  
**43.504.70**

**FS 12**  
**12 delni set glodala**



šifra artikla:  
**43.501.99**

**TC-BJ 900**  
**Kekserica**



- Snaga: 860 W
- Broj obrtaja: 11,000 min<sup>-1</sup>
- HM nož glodalice: Ø 100 x Ø 22 x 3.8 mm
- Maks. dubina glodanja: 14 mm
- Podešavanje ugla: do 90°
- Težina: 3.25 kg
- Čvrst aluminijumski dizajn
- Brzo i jednostavno podešavanje dubine glodanja u 3 pozicije
- Blokada za izmenu noževa



TCT glodalo za  
TC-BJ 900 Z=6  
43.506.90



šifra artikla:  
**43.506.20**

**TH-MA 1300**  
**Glodalica za izradu žljeba u zidu**



- Snaga: 1,320 W
- Broj obrtaja: 9,000 min<sup>-1</sup>
- Prečnik ploče: 125 mm
- Prihvatni otvor: 22.2 mm
- Dubina žljeba: 8 - 30 mm
- Širina žljeba: 8 - 26 mm
- Težina: 5.1 kg
- Ugrađen adapter za odvajanje prašine
- Elektronska zaštita od preopterećenja



šifra artikla:  
**43.507.30**



German  
Designed  
Quality  
Einhell Germany AG




German  
Designed  
Quality  
Einhell Germany AG

**TH-OS 1520**  
Vibraciona brusilica



- Snaga: 150 W
- Brzina motora: 11,500 min<sup>-1</sup>
- Oscilacije: 23,000 min<sup>-1</sup>
- Veličina brusnog papira: 230 x 93 mm
- Brusna površina: 187 x 90 mm
- Prečnik vibracija: Ø: 2.0 mm
- Težina: 1.3 kg




šifra artikla:  
**44.606.40**

**TC-RS 38 E**  
Ekscentrična brusilica



- Snaga: 380 W
- Broj obrtaja: 12,000 – 26,000 min<sup>-1</sup>
- Brusna ploča: Ø125 mm
- Prečnik vibracija: 2 mm
- Težina: 2 kg
- Elektronska regulacija brzine obrtanja
- Ugrađen adapter za odvajanje prašine



šifra artikla:  
**44.621.65**

**TH-DS 19**  
Trougaona brusilica



- Snaga: 190 W
- Brzina: 10,000 min<sup>-1</sup>
- Oscilacije: 20,000 min<sup>-1</sup>
- Veličina brusnog papira: 90 x 90 x 90 mm
- Brusna površina: 90 x 90 x 90 mm
- Neto težina: 1.1 kg
- Lagana zamena brusnih papira pomoću čičak prihvata
- Priključak adaptera za odvajanje prašine



šifra artikla:  
**44.642.35**

**TC-BS 8038**  
Trakasta brusilica



- Snaga: 800 W
- Brzina trake: 380 min<sup>-1</sup>
- Veličina trake: 76 x 533 mm
- Površina brušenja: 76 x 142 mm
- Težina proizvoda: 3.5 kg
- Uklj. brusna traka (P80)



šifra artikla:  
**44.662.60**

**TC-AG 115**  
Ugaona brusilica



- Snaga: 500 W
- Broj obrtaja: 12,000 min<sup>-1</sup>
- Veličina ploče / prečnik: 115 mm
- Težina: 1.68 kg
- Isporuka bez reznih ploča



šifra artikla:  
**44.306.18**

\* zamenski artikal BT-AG 500 44.305.80

**TS 125/115**  
Rezni stalak



šifra artikla:  
**44.310.40**

- Isporuka bez ugaone brusilice

- Veličina postolja: 185 x 235 mm
- Za brusilice od: 115 i 125
- Težina: 2,7 kg

**TS 230**  
Rezni stalak




šifra artikla:  
**44.310.50**

- Veličina postolja: 300 x 300 mm
- Za brusilice od: 230
- Težina: 3,5 kg

**TC-AG 125**  
Ugaona brusilica



- Snaga: 850 W
- Broj obrtaja: 11,000 min<sup>-1</sup>
- Veličina/prečnik ploče: 125 mm
- Osovina: M 14
- Neto težina: 2.1 kg
- Metalno kućište zupčanika
- Isporuka bez reznih ploča



šifra artikla:  
**44.306.19**

\*zamenski artikal BT-AG 850 44.305.90

**BT-AG 2000**  
Ugaona brusilica



šifra artikla:  
**44.306.20**



- Snaga: 2,000 W
- Broj obrtaja: 6,000 min<sup>-1</sup>
- Veličina/prečnik ploče: 230 mm
- Težina: 4.9 kg
- Graničnik ploče
- Metalno kućište zupčanika
- Isporuka bez reznih ploča

**TH-MG 135 E**  
Set za brušenje i graviranje



- Snaga: 135 W
- Broj obrtaja: 10,000 – 35,000 min<sup>-1</sup>
- Steznik uloška: Ø 0.5/ 1.6/ 2.4/ 3.2 mm
- Težina proizvoda: 0.7 kg



šifra artikla:  
**44.191.69**



German  
Designed  
Quality  
Einhell Germany AG

**TH-BG 150**  
**Stona brusilica**

šifra artikla:  
**44.125.70**



- Snaga: 150 W
- Broj obrtaja: 2,950 min<sup>-1</sup>
- Brusne ploče: Ø150xØ12,7x16mm
- Težina: 6.0 kg
- Uklj. 1 grubi i 1 fini brusni točak



**TC-BG 200**  
**Stona brusilica**

šifra artikla:  
**44.128.20**



- Broj obrtaja: 2,950 min<sup>-1</sup>
- Snaga: 400 W
- Brusne ploče: Ø200xØ32x25 mm
- Težina: 12.2 kg
- Zaštita od varnica sa velikim zaštitnim staklima



**TC-WD 150/200**  
**Stona brusilica**

šifra artikla:  
**44.172.40**



- Snaga: 250 W
- Brzina hoda: 2,950 min<sup>-1</sup>
- Točak za suvo brušenje: 134 min<sup>-1</sup>
- Točak za mokro brušenje: Ø150 x 20 x Ø12.7 mm (GR 36)
- Točak za suvo brušenje: Ø200 x 40 x Ø20 mm (GR 80)
- Točak za mokro brušenje: Ø200 x 40 x Ø20 mm (GR 80)
- Težina: 9.9 kg



**Brusni točak 200 x 20 x 40mm 44.173.00**

**TH-US 240**  
**Stona trakasta brusilica**

šifra artikla:  
**44.661.50**



- Snaga: 240 W
- Broj obrtaja: 2,950 min<sup>-1</sup>
- Brusna ploča: Ø150 x Ø12.7 x 20 mm
- Brusna traka: 50 x 686 mm
- Neto težina: 7.2 kg
- Zatvoreni brusni točak u zaštitnom okviru
- Grubi brusni točak
- Velika podesiva zaštita za oči
- Brusni remen
- Podesiv prihvatač
- Robusna metalna konstrukcija
- 4 gumene nožice za siguran rad
- Uklj. 1 grubi i 1 fini brusni točak

**Brusni remen (5 delni) 44.198.00**

**Brusni kamen, fini**

**Brusni kamen, grubi**

**Brusni točak, fini**

**Brusni točak, grubi**

**Brusni kamen, fini**

• 150x20x12,7

• 150x20x12,7

• 150x16x12,7

• 150x16x12,7

• 200 x 32 x 25mm



šifra artikla:  
**44.125.12**

šifra artikla:  
**44.125.13**

šifra artikla:  
**44.125.14**

šifra artikla:  
**44.125.15**

šifra artikla:  
**44.128.10**

**TC-US 400**  
**Stacionarna brusilica**  
**sa trakom i diskom**

šifra artikla:  
**44.192.55**



- Snaga: 375 W
- Broj obrtaja: 1,450 min<sup>-1</sup>
- Prečnik brusnog diska: Ø150 mm
- Granulacija papira za disk: 80
- Granulacija brusne trake: 80
- Brusna traka: 915 x 100 mm
- Nagib stola: 0 - 45°
- Zakretanje graničnika: [-60°] do [+60°]
- Težina: 15.5 kg

**Set brusnih diskova 44.198.45**

**3 delni set brusnih traka 44.198.30**

**TC-HA 2000/1**  
**Pištolj za vrući vazduh**

šifra artikla:  
**45.201.84**



- Snaga: 2,000 W
- Temperatura (poz. 1 / poz. 2): 350° C / 550° C
- Količina vazduha (poz. 1 / poz. 2): 300 l/min / 500 l/min
- Težina: 0.7 kg



**\* zamenski artikal BT-HA 2000 45.201.67**

**BT-GG 200 P**  
**Pištolj za vruće lepljenje**

šifra artikla:  
**45.221.60**



- Snaga: 12 W
- Patrone Ø: 11 mm
- Vreme grejanja: 5 min
- Težina: 0.32 kg
- 3 patrona Ø11 x 100 mm

**24 delni set patrona**

šifra artikla:  
**45.221.99**

**BT-SG 100**  
**Lemilica**

šifra artikla:  
**46.100.30**



- Snaga: 100 W
- Maks. temperatura: 500 °C
- Težina: 1.0 kg
- Jednostavna izmena nastavka lemilice
- Ugrađeno osvetljenje mesta lemljenja



# Einhell®

## EXPERT

German  
Designed  
Quality  
Einhell Germany AG

# ELEKTRIČNI ALATI

## RT-SD 3,6/2 Li Kit Akumulatorski odvijač

šifra artikla:  
**45.134.95**



- Tip akumulatora: Li-Ion
- Baterija: 3.6 V
- Kapacitet baterije: 1,500 mAh
- Vreme punjenja: 3 sata
- Punjač: 230 – 240V ~ 50Hz
- Brzina: 200 min<sup>-1</sup>
- Obrtni moment: 3.5 Nm
- Zakretni momenti: 6+1

\* zamenski artikal RT-SD 3,6 Li 45.134.90

## TE-CD 12 Li sa 2 aku. Akumulatorska bušilica

šifra artikla:  
**45.136.02**



- Tip akumulatora: Li-Ion
- Baterija: 12 V
- Kapacitet baterije: 1,300 mAh
- Brzina praznog hoda:
  - 1. brzina: 0 – 350 min<sup>-1</sup>
  - 2. brzina: 0 – 1,300 min<sup>-1</sup>
- Zakretni momenti: 18
- Vreme punjenja: 1 sat
- Obrtni moment: 25 Nm
- Težina: 0.96 kg

2 baterije



## TE-TK 12 Li Set alata

šifra artikla:  
**42.571.91**



2 baterije



- Akumulatorska bušilica sa brzosteznom glavom, automatskom blokadom osovine, funkcijom brzog zaustavljanja i robusnim metalnim prenosnikom sa dve brzine  
Brzina praznog hoda: 1. brzina: 0 – 350 min<sup>-1</sup> / 2. brzina: 0 – 1.200 min<sup>-1</sup> / Zakretni momenti: 17 + 1 / Obrtni moment: 25 Nm
- Akumulatorski multifunkcionalni alat sa elektronskom kontrolom brzine, ergonomskim dizajnom, malih dimenzija i laganom konstrukcijom  
Br. obrtaja: 5.000 – 17.000 min<sup>-1</sup> / Oscilacije: 10.000 – 34.000 min<sup>-1</sup> / Ugao oscilovanja: 3°
- LED lampa – postojan izvor svetlosti kombinovanjem 7 svetlećih dioda (LED)
- Svi uređaji su sa „soft grip“ drškama
- Ukupno 2 litijum-jonske baterije od 12V i trosatni punjač
- U kompletu sa priborom: bitovi, rezni list, strugač, brusni papir



## TE-ID 500 E Udarca bušilica

šifra artikla:  
**42.596.10**



- Snaga: 500 W
- Brzine: 1 brzina
- Br. obrtaja: 0 – 3,000 min<sup>-1</sup>
- Udarci: 0 – 48,000 min<sup>-1</sup>
- Kapacitet bušenja: Drvo: 25 mm  
Beton: 10 mm  
Metal: 8 mm
- Težina: 2.0 kg
- Elektronska regulacija brzine obrtanja
- Prekidač obrtanja desno/levo
- Metalni graničnik dubine bušenja



## RT-ID 65 Udarca bušilica

šifra artikla:  
**42.597.35**



- Snaga: 650 W
- Brzine: 1 brzina
- Br. obrtaja: 0 – 3,000 min<sup>-1</sup>
- Udarci: 0 – 48,000 min<sup>-1</sup>
- Kapacitet bušenja: Drvo: 25 mm  
Beton: 13 mm  
Metal: 10 mm
- Brzostezna glava: 13 mm
- Dužina kabela: 3 m
- Težina: 2.1 kg
- Zaustavljanje osovine
- Elektronska regulacija brzine obrtanja
- Prekidač obrtanja desno/levo
- Metalni graničnik dubine bušenja



**TE-ID 750/1 E**  
**Udarna bušilica**



- Snaga: 750 W
- Brzine: 1 brzina
- Br. obrtaja: 0 – 3,000 min<sup>-1</sup>
- Udarci: 0 – 48,000 min<sup>-1</sup>
- Kapacitet bušenja: Drvo: 30 mm  
Beton: 14 mm  
Metal: 12 mm
- Težina: 2.3 kg
- Brzostezna glava sa funkcijom zaključavanja
- Elektronska regulacija brzine obrtanja
- Prekidač obrtanja desno/levo
- Metalni graničnik dubine bušenja



šifra artikla:

**42.596.71**

**TE-ID 1050 CE**  
**Udarna bušilica**



- Snaga: 1050 W
- Broj obrtaja: 0 – 1500 min<sup>-1</sup>
- 1. brzina: 0 – 2,800 min<sup>-1</sup>
- 2. brzina: 0 – 48,000 min<sup>-1</sup>
- Udarci: 0 – 48,000 min<sup>-1</sup>
- Kapacitet bušenja: Drvo 40 mm  
Beton 16 mm  
Metal 13 mm
- Težina: 3 kg
- Metalna glava zupčanika
- Metalna brzostezna glava
- Prekidač za bušenje/ udarno bušenje



šifra artikla:

**42.596.20**

**RT-RH 20/1**  
**Čekić bušilica**



- Snaga: 500 W
- Brzina: 0 – 1,200 min<sup>-1</sup>
- Br. udaraca: 0 – 5,800 min<sup>-1</sup>
- Snaga udaraca: 1.6 J
- Prihvat glave: SDS-plus
- Kapacitet bušenja: 20 mm (beton)
- Težina: 2.8 kg
- Mehanizam pneumatskog čekića
- Obrtanje levo/desno
- Metalni graničnik dubine
- Dodatna drška



šifra artikla:

**42.584.91**

**RT-RH 32**  
**Čekić bušilica**



- Snaga: 1,250 W
- Brzina: 800 min<sup>-1</sup>
- Br. udaraca: 4,300 min<sup>-1</sup>
- Snaga: 3.5 J
- Kapacitet bušenja (beton): 32 mm
- Prihvat glave: SDS-plus
- Drška koja apsorbira vibracije
- Prekidač obrtanja
- Prekidač čekića



šifra artikla:

**42.584.40**

**TE-RH 38 E**  
**Čekić bušilica**



- Snaga: 1,050 W
- Brzina: 0-500 min<sup>-1</sup>
- Br. udaraca: 0-4,100 min<sup>-1</sup>
- Snaga udaraca: 9 J
- Prihvat glave: SDS-Max
- Kapacitet bušenja: 38mm (beton)
- Mehanizam pneumatskog čekića
- Indikator optimalnog pritiska
- 2 statusne LED lampice
- Dodatna drška sa posebnom strukturom prihвата za sigurno držanje



šifra artikla:

**42.579.50**

**TE-DH 1027**  
**Čekić za rušenje**



- Snaga: 1,500 W
- Broj udaraca: 1,900 min<sup>-1</sup>
- Snaga udaraca: 32 J
- Prihvat glave: SDS-Max
- Mrežni kabl: 400 cm | H07RN-F
- Težina: 10,2 kg
- Automatsko isključivanje četkica
- Dugačak i robustan gumirani kabl
- Čvrsta i izdržljiva konstrukcija za duži rad



šifra artikla:

**41.390.90**

**TE-MX 1600-2 CE**  
**Mešač za boju i malter**




- Snaga: 1,600 W
- Broj obrtaja: brzina 1 0 – 460 min<sup>-1</sup>  
brzina 2 0 – 750 min<sup>-1</sup>
- Prihvat mešalice: M 14
- Ergonomske drške
- Elektronska regulacija brzine obrtanja
- "Softgrip" prihvat
- Metalno kućište prenosa
- 2 brzine
- Uklj. mešalica (prečnika 133 mm)



šifra artikla:

**42.585.55**

German  
Designed  
Quality  
Einhell Germany AG



**TE-JS 100**  
Ubodna testera

šifra artikla:  
**43.211.60**




- Snaga: 750W
- Kosi rez: max +/- 45°
- Broj uboda: 800 – 3,000 min<sup>-1</sup>
- Visina uboda: 23 mm
- Dubina reza max: drvo 100 mm  
metal 10 mm  
plastika 12 mm
- Težina: 2.3 kg
- LED svetlo
- Adapter za odvajanje prašine



**TE-AP 1050 E**  
Višenamenska testera

šifra artikla:  
**43.261.35**



- Snaga: 1,050 W
- Ubodi: 0 – 2,700 min<sup>-1</sup>
- Maks. dubina reza: (drvo / metal): 200 / 20 mm
- Visina uboda: 29 mm
- Dužina kabla: 3 m
- Promena lista testere bez alata
- Meka ergonomska drška
- Elektronska regulacija ubadanja
- Uklj. rezni list za drvo
- Brže rezanje putem funkcije njihanja



**TE-MG 200 E**  
Multifunkcionalni alat

šifra artikla:  
**44.650.40**



- Snaga: 200 W
- Br. obrtaja: 15,000 – 21,000 min<sup>-1</sup>
- Brusna površina: 90 x 90 x 90 mm
- Ugao oscilovanja: 3°
- Težina: 1.2 kg



**TE-CS 165**  
Ručni cirkular

šifra artikla:  
**43.310.10**



- Snaga: 1,200 W
- Brzina: 5,500 min<sup>-1</sup>
- Dubina 90°/45°: 55 mm / 40 mm
- TCT rezni list: Ø165 x Ø16 mm, 24 z
- Prilagođavanje dubine reza bez alata
- Blokada za laganu izmenu reznog lista
- Ključ za zamenu reznog lista se nalazi na uređaju
- Čvrsto aluminijumsko podnožje
- Paralelni graničnik



**RT-PL 82**  
Električno rende

šifra artikla:  
**43.452.70**



- Snaga: 850 W
- Brzina: 15,000 min<sup>-1</sup>
- Širina struganja: 82 mm
- Dubina struganja: 0 – 3 mm
- Dubina pregiba: 0 – 18 mm
- Dužina kabla: 3 m
- Automatska zaštita noževa
- Noževi od tvrdog metala
- Aluminijumsko podnožje
- Adapter za odvajanje strugotina
- Paralelna vodica i graničnik dubine
- Soft grip



**RT-RO 55**  
Električna glodalica

šifra artikla:  
**43.504.90**



- Snaga: 1,200 W
- Broj obrtaja: 11,000–30,000 min<sup>-1</sup>
- Dubinski hod: 55 mm
- Stezna klješta: 6 mm i 8 mm
- Dužina kabla: 3 m
- Precizni graničnik dubine glodanja
- Elektronska regulacija brzine
- Paralelna vodica



**RT-OS 13**  
Delta brusilica

šifra artikla:  
**44.605.60**



- Snaga: 130 W
- Oscilacije: 24,000 min<sup>-1</sup>
- Brzina: 12,000 min<sup>-1</sup>
- Veličina papira: 93 x 60 x 105 mm
- Brusna površina: 104 cm<sup>2</sup>
- Prečnik vibracija: Ø2.0 mm
- Težina: 1,2 kg



**RT-OS 30**  
Vibraciona brusilica

šifra artikla:  
**44.605.50**



- Snaga: 300 W
- Brzina: 7,000 – 11,000 min<sup>-1</sup>
- Prečnik vibracija: 2.0 mm
- Površina brušenja: 115 x 227 mm
- Velik kapacitet brušenja
- Aluminijumska brusna ploča sa preklopkom i „velcro“ prihvatom
- Posuda za prašinu sa filterom
- Adapter za odvajanje prašine





**TE-RS 40 E**  
Ekscentrična brusilica



šifra artikla:  
**44.620.00**

- Snaga:
- Oscilacije:
- Prečnik vibracija:
- Brusna ploča:
- Prihvat ploče:
- Broj obrtaja:
- Dvostruka akcija:

400 W  
12,000 – 24,000 min<sup>-1</sup>  
2.5 mm  
Ø 125 mm  
Ø 125 mm  
6,000 – 12,000 min<sup>-1</sup>  
rotacija + vibracije



**RT-BS 75**  
Trakasta brusilica

šifra artikla:  
**44.662.30**

- Snaga: 850 W
- Brzina: 300 – 400 min<sup>-1</sup>
- Površina brušenja: 75 x 140 mm
- Dimenzije brusne trake: 75 x 533 mm
- Dužina kabla: 3 m
- Prilagodljiva brzina trake
- Adapter za odvajanje prašine i vreća



**RT-AG 115**  
Ugaona brusilica

šifra artikla:  
**44.305.50**



- Snaga: 600 W
- Brzina: 12,000 min<sup>-1</sup>
- Prečnik ploče: 115 mm
- Metalno kućište glave
- Isporuka bez reznih ploča



**TE-AG 125/750**  
Ugaona brusilica

šifra artikla:  
**44.308.80**



- Snaga: 750 W
- Brzina: 11,000 min<sup>-1</sup>
- Prečnik ploče: 125 mm
- Težina: 2.2 kg
- Metalno kućište glave
- Odlaganje ključa u dodatnoj dršci
- Isporuka bez reznih ploča



**RT-AG 125**  
Ugaona brusilica

šifra artikla:  
**44.305.60**



- Snaga: 1,010 W
- Brzina: 12,000 min<sup>-1</sup>
- Prečnik ploče: 125 mm
- Dužina kabla: 3 m
- Metalno kućište glave
- Brzo prilagođavanje zaštite rezne ploče
- Mekana drška
- Blokada zupčanika
- Isporuka bez reznih ploča



**TE-AG 230/2000**  
Ugaona brusilica

šifra artikla:  
**44.308.40**



- Snaga: 2,000 W
- Broj obrtaja: 6,500 min<sup>-1</sup>
- Veličina/prečnik ploče: 230 mm
- Težina: 5.9 kg
- Dužina kabla: 3 m
- Isporuka bez reznih ploča



**TE-AG 230**  
Ugaona brusilica

šifra artikla:  
**44.308.70**



- Snaga: 2,350 W
- Broj obrtaja: 6,500 min<sup>-1</sup>
- Veličina/prečnik ploče: 230 mm
- Težina: 5.4 kg
- Dužina kabla: 3 m
- Isporuka bez reznih ploča



**TE-HA 2000 E**  
Pištolj za vruć vazduh

šifra artikla:  
**45.201.95**



- Snaga: 2000 W
- Temperatura na poziciji 1: 50 °C
- Temperatura na poziciji 2: 50-550 °C
- Temperatura na poziciji 3: 50-550 °C
- Količina vazduha na poziciji 1: 250 L/min
- Količina vazduha na poziciji 2: 250 L/min
- Količina vazduha na poziciji 3: 500 L/min
- Uključen transportni kofer





# Einhell®

German  
Designed  
Quality  
Einhell Germany AG

## DIZALICE I ČIŠĆENJE



### BT-CH 1000 Lančana dizalica

šifra artikla:  
**22.501.02**



- Nosivost: 1,000 kg
- Visina podizanja: oko 2.5 m
- Težina: 9.0 kg
- Zatvoreno metalno kućište
- Nosiva kuka sa sigurnosnim preklonom
- Dugi lanac
- Mala konstrukcija



### BT-EH 250 Električna dizalica

šifra artikla:  
**22.551.17**



- Nosivost: 125 kg bez kotura  
250 kg sa koturom
- Visina podizanja: 11.5 m bez kotura  
5.7 m sa koturom
- Snaga: 500 W S3 20 %
- Brzina: 8 m/min  
sa koturom: 4 m/min
- Težina: 10.5 kg



### BT-EH 500 Električna dizalica

šifra artikla:  
**22.555.30**



- Nosivost: 250 kg bez kotura  
500 kg sa koturom
- Visina podizanja: 11.5 m bez kotura  
5.7 m sa koturom
- Snaga: 1,000 W S3 20 %
- Uže Ø: 4.00 mm
- Brzina: 8 m/min  
sa koturom: 4 m/min
- Težina: 16.2 kg



### BT-EH 1000 Električna dizalica

šifra artikla:  
**22.557.15**



- Nosivost: 500 kg bez kotura  
999 kg sa koturom
- Visina podizanja: 11.5 m bez kotura  
5.7 m sa koturom
- Snaga: 1,600 W S3 25 %
- Brzina: 8 m/min  
sa koturom: 4 m/min
- Težina: 30.0 kg

### GT-SA 1200 Zakretna konzola

šifra artikla:  
**22.553.98**



- Okretni raspon: 750 mm  
maks. nosivost: 600 kg
- Okretni raspon: 1,100 mm  
maks. nosivost: 300 kg
- Raspon osovine: 180°
- Prečnik cevi: Ø 48 mm
- Težina: 8.6 kg

### TC-HP 1334 Perač pod visokim pritiskom

šifra artikla:  
**41.407.10**



- Snaga: 1.300 W
- Maksimalni radni pritisak: 100 bar
- Maksimalna temperatura vode: 60°C
- Protok vode: 340 l/h
- Maksimalni ulazni pritisak vode: 6bar
- Maksimalni izlazni pritisak: 70bar
- Dužina creva: 3m
- Zapremina tanka za deterdžent: 0.45 l
- Težina: 4.2 kg



### TC-HP 1538 PC Perač pod visokim pritiskom

šifra artikla:  
**41.407.20**



- Snaga: 1.500 W
- Maksimalni radni pritisak: 110 bar
- Maksimalna temperatura vode: 60°C
- Protok vode: 380 l/h
- Maksimalni ulazni pritisak vode: 6bar
- Izlazni pritisak: 75bar
- Dužina creva: 5m
- Zapremina tanka za deterdžent: 0.45 l
- Težina: 6.2 kg



### TC-HP 2042 PC Perač pod visokim pritiskom

šifra artikla:  
**41.407.30**




- Snaga: 2.000 W
- Maksimalni radni pritisak: 150 bar
- Maksimalna temperatura vode: 60°C
- Protok vode: 420 l/h
- Maksimalni ulazni pritisak vode: 6bar
- Izlazni pritisak: 100bar
- Dužina creva: 6m
- Zapremina tanka za deterdžent: 0.45 l
- Težina: 6.85 kg



**TH-VC 1815**  
Usisivač za suvo/mokro



- Snaga: 1.250 W
- Max usisna snaga: 180 mbar
- Protok vazduha: 65 l/s
- Kapacitet rezervoara: 15 l




šifra artikla:  
**23.402.90**

**TH-VC 1820 S**  
Usisivač za suvo/mokro



- Snaga: 1.250 W
- Maks. usisna snaga: 180 mbar
- Protok vazduha: 68 l/s
- Kapacitet rezervoara: 20 l
- Težina: 4.7 kg



šifra artikla:  
**23.421.67**

**TH-VC 1930 SA**  
Usisivač za suvo/mokro



- Snaga: 1.500 W
- Maksimalna usisna snaga: 190 mbar
- Dužina usisnog creva: 2.5 m
- Prečnik usisnog creva: Ø 36 mm
- Kapacitet rezervoara: 30 l
- Maksimalna snaga na utičnici: 2.000 W
- Nivo buke: 80 dB (A)
- Težina: 5.8 kg



šifra artikla:  
**23.421.90**

**TE-VC 2230 SA**  
Usisivač za suvo/mokro



- Snaga: 1.150 W
- Maksimalna usisna snaga: 220 mbar
- Dužina usisnog creva: 3.0 m
- Prečnik usisnog creva: 36 mm
- Kapacitet rezervoara: 30 l
- Maksimalna snaga na utičnici: 2.250 W
- Nivo buke: 74 dB (A)
- Težina: 10.1 kg



šifra artikla:  
**23.423.63**

**TE-VC 2340 SA**  
Usisivač za suvo/mokro




- Snaga: 1.200 W
- Maksimalna usisna snaga: 23 kpa
- Dužina usisnog creva: 3.0 m
- Prečnik usisnog creva: 36 mm
- Kapacitet rezervoara: 40 l
- Maksimalna snaga na utičnici: 2.250 W
- Nivo buke: 74 dB (A)
- Težina: 10.85 kg



šifra artikla:  
**23.423.80**



**ECO POWER - Efficient Technology**



**Vreća za prašinu 30L**



šifra artikla:  
**23.511.70**

**Vreća za prašinu 40L**



šifra artikla:  
**23.511.80**

**10 delni sunderasti filter**



šifra artikla:  
**23.511.30**

**Dugotrajni filter**



šifra artikla:  
**23.511.10**

**5 delni set papir. kesica 20L**



šifra artikla:  
**23.511.52**



**AFF 18**  
Filter za pepeo, fini

**Filter za pepeo, 12L**



šifra artikla:  
**23.516.12**




šifra artikla:  
**23.516.06**

**TH-VC 1318**  
Usisivač za pepeo

šifra artikla:  
**23.516.22**



- Snaga: 500 W
- Usisavanje max.: 130 mbar
- Brzina usisa: 40 l/s
- Prečnik usisnog creva: 35 mm
- Dužina usisnog creva: 1 m
- Zapremina rezervoara: 18 l





# Einhell®

German  
Designed  
Quality  
Einhell Germany AG

## OBRADA DRVETA

### TH-MS 2112 Preklopna testera

šifra artikla:  
**43.002.95**



- Snaga: 1,400 W S1; 1,600 W S6 40%
- Broj obrtaja  $n_o$ : 5,000  $\text{min}^{-1}$
- TCT rezni list / zubi:  $\varnothing 210 \times \varnothing 30 \text{ mm} / 48 \text{ z}$
- Maks. rez  $90^\circ / 45^\circ$ :  $120 \times 55 \text{ mm} / 80 \times 55 \text{ mm}$
- Maks. rez  $2 \times 45^\circ$ :  $80 \times 32 \text{ mm}$
- Maks. krajnji rez: 120 mm
- Težina: 6,4 kg



### TH-MS 2112 T Preklopna testera sa stolom

šifra artikla:  
**43.003.17**



- Snaga: 1,200 W
- Broj obrtaja  $n_o$ : 4,500  $\text{min}^{-1}$
- TCT rezni list / zubi:  $\varnothing 210 \times \varnothing 30 \text{ mm} / 24 \text{ z}$
- Max rez  $90^\circ / 45^\circ$ :  $120 \times 55 \text{ mm} / 65 \times 55 \text{ mm}$
- Maks. rez  $2 \times 45^\circ$ :  $40 \times 23 \text{ mm}$
- Težina: 10,0 kg



### TH-SM 2131 Dual Potezna preklopna testera

šifra artikla:  
**43.008.35**




- Snaga: 1,800 W
- Broj obrtaja  $n_o$ : 5,000  $\text{min}^{-1}$
- TCT rezni list / zubi:  $\varnothing 210 \times \varnothing 30 \text{ mm} / 48 \text{ Z}$
- Maks. rez  $90^\circ / 45^\circ$ :  $310 \times 62 \text{ mm} / 210 \times 62 \text{ mm}$
- Maks. rez  $2 \times 45^\circ$ :  
levo:  $210 \times 36 \text{ mm}$   
desno:  $210 \times 20 \text{ mm}$
- Maks. krajnji rez.: 310 mm



### TH-SB 200 Trakasta testera

šifra artikla:  
**43.080.15**



- Snaga: 250 W
- Br. obrtaja  $n_o$ : 1,400  $\text{min}^{-1}$
- Brzina reznog lista: 900 m/min
- Dužina reznog lista: 1,400 mm
- Visina reza: 80 mm na  $90^\circ$   
45 mm na  $45^\circ$
- Dubina reza: 200 mm
- Veličina postolja: 300 x 300 mm
- Zakretanje stola:  $0^\circ$  do  $45^\circ$
- Adapter za prašinu:  $\varnothing 36 \text{ mm}$
- Težina: 13,2 kg

Rezni list za TH-SB 200 45.061.56



German  
Designed  
Quality  
Einhell Germany AG

### TC-SS 405 E Dekupir testera

šifra artikla:  
**43.090.40**



- Snaga: 120 W
- Broj uboda: 400 - 1600  $\text{min}^{-1}$
- Visina uboda: 14 mm
- Dužina reznog lista: 127 mm
- Max. visina reza:  $45^\circ 20 \text{ mm}$
- Max. visina reza:  $90^\circ 52 \text{ mm}$
- Poluprečnik rada: 406 mm
- Veličina postolja:  $408 \times 250 \text{ mm}$
- Zaokret postolja:  $45^\circ$
- Težina: 9 kg



5 delni set listova testere za TH-SS 405 E 45.062.00

**TH-TS 820**  
**Stoni cirkular**

šifra artikla:  
**43.404.10**



- Snaga: 800 W
- Broj obrtaja praznog hoda: 2.950 min<sup>-1</sup>
- Rezni list od tvrdog metala: Ø200xØ16x24mm
- Broj zubaca: 20
- Maks. rezna visina 90°/45°: 43 mm / 35 mm
- Veličina stola: 500 x 335 mm
- Adapter za odvajanje piljevine: Ø 35 mm
- Težina: 11.5 kg



**RT-TS 1221**  
**Stoni cirkular**

šifra artikla:  
**43.407.41**



- Snaga: 1,200 W
- Broj obrtaja: 4,800 min<sup>-1</sup>
- TCT rezni list: Ø210xØ30x26mm
- Broj zuba: 24
- Maks. visina reza 90°/45°: 48 mm / 45 mm
- Veličina stola: 525 x 400 mm
- Maks. veličina stola: 525 x 620 mm
- Adapter za odvajanje prašine: Ø 36 mm
- Težina: 14.7 kg



**TC-TS 2025 Eco**  
**Stoni cirkular**

šifra artikla:  
**43.405.30**



- Snaga: 1,800 W
- Broj obrtaja praznog hoda: 5,000 min<sup>-1</sup>
- Maks. visina reza 90°/45°: 85 mm / 65 mm
- Rezni list: Ø250xØ30x24mm, 24z
- Nagib reznog lista: 0 – 45°
- Radna visina: 830 mm
- Veličina stola: 640 x 487 mm
- Adapter za odvajanje prašine: Ø 36 mm
- Težina: 20.7 kg
- Paralelni graničnik sa stegom
- Poprečni graničnik sa ugaonom skalom (+/- 60°)



**RT-TS 1725 U**  
**Stoni cirkular**

šifra artikla:  
**43.406.47**



- Snaga: 1,700 W
- Broj obrtaja: 4,800 min<sup>-1</sup>
- Visina reza 90°/45°: 73 mm / 53 mm
- Rezni list: Ø250 x Ø30 x 2.8 mm, 24z
- Nagib motora: 0 – 45°
- Veličina stola: 626 x 445 mm
- Produžetak stola - levo/desno: 626 x 250 mm
- Produžetak stola - nazad: 445 x 320 mm
- Visina bez postolja: 330 mm
- Radna visina sa postoljem: 900 mm
- Adapter za odvajanje prašine: Ø 35 mm

**RT-TS 2031 U**  
**Građevinski cirkular**

šifra artikla:  
**43.071.53**



- Motor: Indukcijski motor
- Snaga: 2,000 W (S6 20%)
- Broj obrtaja: 2,800 min<sup>-1</sup>
- Visina reza: 90°: 83 mm, 45°: 60 mm
- Veličina stola: 800 x 550 mm
- Radna visina: 800 mm
- Produžetak: 800 x 400 mm
- Rezni list: Ø 315 x Ø 30 x 3.6 mm 24 Z
- Točkovi i drške za lagan transport
- Adapter za sakupljanje prašine Ø 100 mm

**TCT list testere za RT-TS 2031U 45.020.11**

**TC-WW 1000**  
**Tokarski uređaj za drvo**

šifra artikla:  
**43.121.05**



- Snaga: 350 W
- Prečnik predmeta obrade: 356 mm maks.
- Dužina obrade: 1,000 mm
- Broj obrtaja vretena: 810 / 1,180 / 1,700 / 2,480 min<sup>-1</sup>
- Težina: 22.5 kg

**5 delni set dleta za TC-WW 1000**



šifra artikla:  
**43.112.00**

**TH-SP 204**  
**Stacionarna hoblerica**

šifra artikla:  
**44.199.50**



- Snaga: 1,280 W
- Broj obrtaja n<sub>0</sub>: 9,200 min<sup>-1</sup>
- Maks. širina dela obrade: 204 mm
- Maks. visina predmeta obrade: 120mm
- Brzina hoblovanja: 8m/min
- Maks. dubina reza kod ravnjanja: 3 mm
- Maks. dubina reza kod hoblovanja: 3 mm
- Maks. ugao paralelnog graničnika: 45°
- Težina: 27.5 kg



**Rezervni noževi za TH-SP 204 43.113.10**

**RT-VE 550**  
**Industrijski usisivač**

šifra artikla:  
**43.041.40**



- Snaga: 550 W
- Broj obrtaja: 2,900 min<sup>-1</sup>
- Vreća za sakupljanje: 65 l
- Usisni adapter: Ø 100 mm
- Kapacitet vazduha: 1,150 m<sup>3</sup>/h
- Vakuum: maks 1,600 Pa
- Dužina usisne cevi: 2.5 m
- Veličina jedinice: 850 x 500 x 1,500 mm
- Težina: 22.0 kg



# Einhell®

German  
Designed  
Quality  
Einhell Germany AG



## OBRADA METALA

### BT-BD 401 Stubna bušilica

šifra artikla:  
**42.504.20**

- Snaga: 350 W
- Broj obrtaja: 580 – 2,650 min<sup>-1</sup> (5 st.)
- Podesiv radni sto: -45° do +45°
- Okvir stezne glave: B16
- Prihvat stezne glave: Ø 1.5 - 13 mm
- Dubina prihva: 104 mm
- Maks. dubina bušenja: 50 mm
- Težina: 18.0 kg



**75mm stega**

šifra artikla:  
**42.257.06**

### BT-BD 701 Stubna bušilica

šifra artikla:  
**42.505.90**

- Snaga: 630 W
- Broj obrtaja motora: 1400 min<sup>-1</sup>
- Brzina osovine: 220 – 2450 min<sup>-1</sup> (12 st.)
- Zakretanje radnog stola: -45° do +45°
- Stezna glava: Ø 3 do 16 mm
- Okvir stezne glave: B16
- Konus vretena: MK 2
- Prihvatnik stezne glave: 126 mm
- Maks. dubina bušenja: 60 mm
- Prečnik stuba: 60 mm
- Veličina osnovne ploče: 350 x 230 mm
- Veličina radnog postolja: 200 x 195 mm
- Visina: 850 mm



### BT-BD 1020/1 D Stubna bušilica

šifra artikla:  
**42.507.90**

- Napon: 400 V
- Snaga: 700 W
- Brzina osovine: 210 – 2,500 min<sup>-1</sup> (12 stepeni)
- Okretno postolje: -45° do +45°
- Okvir stezne glave: B16
- Prečnik bušenja: Ø 3 - 16 mm
- Preč. prihva MK2: do Ø 20 mm
- Izbočenje: 169 mm
- Maks. dub. bušenja: 80 mm
- Težina: 52.5 kg



### TH-MC 355 Stona testera za metal

šifra artikla:  
**45.031.40**

- Snaga: 2,000 W
- Rezni disk: Ø 355 x Ø 25.4 x 3.2 mm
- Broj obrtaja: 3,000 min<sup>-1</sup>
- Kosi rez: -30° do 45°
- Stega: 230 mm
- Širina reza 90°: okruglo 100 mm  
četvrtasto 170 x 70 mm
- Veličina stola: 460 x 260 mm
- Težina proizvoda: 17.8 kg



German  
Designed  
Quality  
Einhell Germany AG





# Einhell®

German  
Designed  
Quality  
Einhell Germany AG



## OBRADA KAMENA

### TH-TC 618 Rezač pločica

šifra artikla:  
**43.011.80**

- Motor: Naizmjenični 600 W S2 10 min
- Snaga: 600 W S2 10 min
- Br. obrt. praznog hoda: 2,950 min<sup>-1</sup>
- Visina reza 90° / 45°: 35 mm / 22 mm
- Veličina stola: 330 x 360 mm
- Zaštitna kategorija: IP 54
- Dijamantska rezna ploča: Ø 180 x Ø 25.4 mm
- Težina: 9.2 kg



### RT-TC 520 U Rezač pločica sa postoljem

šifra artikla:  
**43.012.71**

- Snaga: 800 W
- Broj obrtaja: 3,000 min<sup>-1</sup>
- Radni sto: 570 x 385 mm
- Radna visina: 700 mm
- Dubina reza maks: 90° - 30 mm / 45° - 25 mm
- Dužina reza maks.: 520 mm
- Kosi rez: 0 - 45°
- Dijamantska ploča: Ø 200 x Ø 25.4 mm



### RT-SC 570 L Rezač kamena i granita

šifra artikla:  
**43.014.44**

- Snaga: 1,500 W
- Broj okretaja: 3,000 min<sup>-1</sup>
- Dubina reza 90°: maks. 65 mm
- Dubina reza 45°: maks. 48 mm
- Dužina reza: maks. 570 mm
- Kosi rez: 0° - 45°
- Dijamantska ploča: Ø 250 x Ø 25.4 mm
- Radni sto: 630 x 450 mm
- Odvojivi laser za dodatne poslove nivelisanja
- Ugaoni graničnik sa skalom za precizno rezanje



### RT-SC 920 L Rezač kamena i granita

šifra artikla:  
**43.014.32**

- Snaga: 2,200 W
- Broj obrtaja: 3,000 min<sup>-1</sup>
- Dubina reza 90°: maks. 70 mm
- Dubina reza 45°: maks. 55 mm
- Dužina reza: maks. 920 mm
- Kosi rez: 0° - 45°
- Dijamantska ploča: Ø 300 x Ø 25.4 mm
- Radni sto: 920 x 550 mm
- Odvojivi laser za dodatne poslove nivelisanja
- Ugaoni graničnik sa skalom za precizno rezanje



### Dijamantna rezna ploča

180 x 25,4 x 1,6mm



šifra artikla:  
**43.011.70**

### Dijamantna rezna ploča TURBO

200 x 25.4 x 2.2mm



šifra artikla:  
**43.011.75**

### Dijamantna rezna ploča TURBO

250 x 25.4 x 2.2mm



šifra artikla:  
**43.011.77**

### Dijamantna rezna ploča TURBO

300x25,4 x2.2mm



šifra artikla:  
**43.011.78**



# Einhell®

German  
Designed  
Quality  
Einhell Germany AG



## AUTO PROGRAM I AGREGATI

### BT-BC 5 Punjač akumulatora

šifra artikla:  
**10.561.00**



- Struja punjenja: 3.5A aritm. / 5A ef.
- Za olovne akumul. od: min. 16Ah do maks. 80Ah
- Težina: 2.35 kg
- Čelično kućište
- Drška za nošenje
- Ugrađen ampermetar
- Zaštita od pogrešnog priključenja i prepunjivanja

### BT-BC 10 E Punjač akumulatora

šifra artikla:  
**10.508.50**



- Napon punjenja: 12 V
- Struja punjenja: 7.1 A aritm. / 10 A ef.
- Težina: 3.1 kg
- Za olovne akumul. od: min. 5Ah do maks. 200Ah
- Elektronska kontrola punjenja
- Čelično kućište
- Drška za nošenje
- Ugrađen ampermetar
- Zaštita od pogrešnog priključenja i prepunjivanja



### BT-BC 15 Punjač akumulatora

šifra artikla:  
**10.750.20**



- Napon punjenja: 6 V / 12 V / 24 V
- Težina: 6.11 kg
- Izolovana konstrukcija
- Čelično kućište
- Okretna sklopka za brzo ili normalno punjenje i postavke potrebne voltaže
- Ugrađen ampermetar
- Zaštita od pogrešnog priključenja i prepunjivanja
- Normalno punjenje:
  - 6 V: 6.5 A ef. / 4.4 A aritm. - min. kapac. ak. 20 Ah
  - 12 V: 8.0 A ef. / 5.4 A aritm. - min. kapac. ak. 20 Ah
  - 24 V: 7.0 A ef. / 4.7 A aritm. - min. kapac. ak. 10 Ah

### BT-BC 30 Punjač akumulatora - starter

šifra artikla:  
**10.781.00**



- Kapacitet punjenja:
  - 6 V = 0.7 - 21 A aritm. / 0.9 - 30 A ef.
  - 12 V = 1.0 - 20 A aritm. / 1.6 - 30 A ef.
  - 24 V = 1.8 - 14 A aritm. / 3.0 - 20 A ef.
- Pomoć pri startovanju: 100A (5sec)
- Za akumulatore od: min. 3Ah do maks. 400Ah
- Zaštitni razred I
- Čelično kućište, drška za nošenje
- Preklopka napona punjenja
- Preklopka struje punjenja
- Voltmetar i ampermetar
- Kabl (3 m) sa prekidačem startovanja
- Zaštita od preopterećenja i zaštita polova

### BT-TJ 2000 Dizalica

šifra artikla:  
**20.117.75**



- Težina tereta: 2,000 kg
- Min. visina: 130 mm
- Maks. visina: 336 mm
- Težina: 10.1 kg
- 2 točka sa kugličnim ležajevima
- Podmetač
- Poluga za dizanje

### BT-HJ 2000 Hidraulička dizalica

šifra artikla:  
**20.062.65**



- Težina tereta: 2 t
- Min. visina.: 181 mm
- Maks. visina.: 345 mm
- Regulacija visine osovine: 48 mm
- Težina: 2.8 kg
- Sigurnosni ventil
- Kompaktna i čvrsta konstrukcija

### BT-HJ 5000 Hidraulička dizalica

šifra artikla:  
**20.063.65**



- Težina tereta: 5 t
- Min. visina.: 216 mm
- Maks. visina.: 413 mm
- Regulacija visine osovine: 70 mm
- Težina: 4.7 kg
- Sigurnosni ventil
- Kompaktna i čvrsta konstrukcija

### BT-HJ 8000 Hidraulička dizalica

šifra artikla:  
**20.065.65**



- Težina tereta: 8 t
- Min. visina.: 230 mm
- Maks. visina.: 457 mm
- Regulacija visine osovine: 80 mm
- Težina: 5.8 kg





German  
Designed  
Quality  
Einhell Germany AG

### BT-PO 90 Uređaj za poliranje

šifra artikla:  
**20.931.70**

- Snaga: 90 W
- Br. obrtaja n<sub>0</sub>: 3,700 min<sup>-1</sup>
- Veličina diska za poliranje: Ø 240 mm
- Težina: 2 kg



#### Set za polirku BT-PO 90

šifra artikla:  
**20.930.94**



German  
Designed  
Quality  
Einhell Germany AG

### BT-PO 1100/2 E Uređaj za poliranje i brušenje

šifra artikla:  
**20.932.62**



- Snaga: 1,100 W
- Broj obrtaja n<sub>0</sub>: 1,000 – 3,500 min<sup>-1</sup>
- Brusna ploča-Ø: 180 mm
- Brusni tanjir-Ø: 180 mm
- Težina: 2.7 kg
- Blokada osovine
- Elektronska regulacija brzine
- Brza i jednostavna izmena brusnih papira

#### Set pribora za BT-PO 1100/2 E

šifra artikla:  
**20.932.33**



### BT-PG 850/3 Agregat

šifra artikla:  
**41.512.35**

- Agregat: Sinhroni 650 W
- Kontinualna: 720 W (S2 15min)
- Maks. snaga: 230 V / 1 ~
- Nominalni napon: 2.8 A / 1 ~
- Nominalna struja: 50 Hz
- Frekvencija: 50 Hz
- Motor: 1 cilindrični; 2-taktni vazduhom hlađen
- Zapremina: 63 cm<sup>3</sup>
- Snaga motora: 1.2 kW / 1.65 KS
- Gorivo (ulje:benzin): Mešavina 1: 40
- Kapacitet rezervoara: 4.2 l
- Potrošnja na 2/3 opt: oko 0.7 l/h
- Težina: 16.4kg




### BT-PG 2000/3 Agregat

šifra artikla:  
**41.524.30**



- Agregat: Sinhroni 1 x 2,000 W
- Kontinualna snaga (S1): 1 x 2,200 W
- Maks. snaga (S2 2 min): 2 x 230 V ~
- Nominalna snaga: 50 Hz
- Frekvencija: 50 Hz
- Motor: 1 cilindar, 4-taktni, vazduhom hlađen
- Zapremina cilindra: 196 cm<sup>3</sup>
- Maks. snaga motora: 4 kW / 5.4 KS
- Gorivo: Benzin
- Zapremina rezervoara: 13 l
- Radno vreme kod 2/3 opt: oko 11 sati
- Nivo buke: 95 dB (A)
- Težina: 36.4 kg



### BT-PG 2800/1 Agregat

šifra artikla:  
**41.524.80**



- Agregat: Sinhroni 1 x 2,300 W
- Kontinualna snaga (S1): 1 x 2,800 W
- Maks. snaga (S2 2 min): 2 x 230 V
- Nominalna snaga: 50 Hz
- Frekvencija: 50 Hz
- Motor: 1 cilindrični, 4-taktni, vazduhom hlađeni
- Zapremina cilindra: 208 cm<sup>3</sup>
- Maks. snaga motora: 4.1 kW / 5.6 KS
- Gorivo: Benzin
- Zapremina rezervoara: 15 l
- Radno vr. kod 2/3 opt: oko 13.6 sati
- Nivo buke: 96 dB (A)
- Težina: 41.5 kg



### BT-AC 12 V Autokompresor

šifra artikla:  
**20.721.10**

- Izvor energije sa 12V adaptera upaljača
- Maks. radni pritisak: 18 bara
- Maks. kapacitet vazduha: 4.5 l/min
- Težina: 0.7 kg
- Manometar od 0 do 18 bara
- 2,9 m kabl za povezivanje (12 V) sa adapterom upaljača
- Vazdušno crevo i ventil sa zaptivkom
- 3 rezervna adaptera za loptu, vazdušni jastuk i artikle za plažu
- 1 adapter za bicikl



12 VOLT



German  
Designed  
Quality  
Einhell Germany AG



German  
Designed  
Quality  
Einhell Germany AG



# Einhell®

German  
Designed  
Quality  
Einhell Germany AG

## PROGRAM BAŠTA

### GC-EM 1030 Električna kosilica

Rezervni nož  
34.054.20



- Snaga: 1000 W
- Br. obrtaja: 3400 min<sup>-1</sup>
- Širina rezanja: 30 cm
- 3 postavke visine rezanja: 30-70mm
- Korpa za sakupljanje: 25 l
- Prednji točkovi Ø: 140 mm
- Zadnji točkovi Ø: 140 mm
- Težina: 11.22 kg

šifra artikla:  
**34.001.22**

### GH-PM 40 P Benzinska kosilica

- Motor: 4-taktni
- Snaga: 1,6 kW (2.2 KS)
- Gorivo: Benzin
- Zapremina rezervoara goriva: 1.3 l
- Motorno ulje: 0.4 l
- Širina reza: 40 cm
- Vreća za sakupljanje trave: 45 l
- 3 postavke visine reza: 32/46/62 mm
- Težina: 22.95 kg



šifra artikla:  
**34.010.13**

Rezervni nož  
34.055.28



### GE-EM 1233 Električna kosilica

Rezervni nož  
34.054.60



- Snaga: 1,250 W
- 5 postavki visine rezanja: 20-60 mm
- Korpa za sakupljanje: 30 l
- Širina rezanja: 330 mm
- Prednji točkovi: Ø 135 mm
- Zadnji točkovi: Ø 135 mm
- Težina: 11.1 kg

šifra artikla:  
**34.001.92**

### GC-PM 46/1 S Samohodna benzinska kosilica

- Motor: 4-taktni, 135ccm
- Snaga: 2kW (2,75KS)
- Br. obrtaja: 2900 min<sup>-1</sup>
- Gorivo: Benzin
- Zapremina rezervoara goriva: 1 l
- Širina reza: 46 cm
- Vreća za sakupljanje trave: 60 l
- 5 postavki visine reza: 32-70 mm
- Težina: 33 kg



šifra artikla:  
**34.007.17**

Rezervni nož  
34.055.29



**Samohodna**

\*Zamenski artikal GC-PM 46 S 34.047.20

### GC-EM 1536 Električna kosilica

Rezervni nož  
34.054.30



- Snaga: 1500 W
- Br. obrtaja: 3400 min<sup>-1</sup>
- Širina rezanja: 36 cm
- 5 postavki visine rezanja: 25-65 mm
- Vreća za sakupljanje: 38 l
- Prednji točkovi: Ø 140 mm
- Zadnji točkovi: Ø 200 mm
- Težina: 10kg

šifra artikla:  
**34.001.50**

### GC-PM 46/1 S B&S Samohodna benzinska kosilica

- Motor: 4-taktni, 125 ccm
- Snaga motora: 1.65 kW (2.3KS)
- Br. obrtaja: 2,900 min<sup>-1</sup>
- Gorivo: Benzin
- Zapremina rezervoara goriva: 0.8 l
- Širina reza: 46 cm
- Zapremina korpe: 50 l
- Prečnik točkova: 177.8/215.9 mm
- Težina: 30 kg



šifra artikla:  
**34.045.85**



**Samohodna**

### GC-EM 1742 Električna kosilica

Rezervni nož  
34.054.40



- Snaga: 1700 W
- Br. obrtaja: 3300 min<sup>-1</sup>
- Širina rezanja: 42 cm
- 6 postavki visine rezanja: 20-65 mm
- Vreća za sakupljanje: 50 l
- Prednji točkovi: 150 mm
- Zadnji točkovi: 230 mm
- Težina: 11.75kg

šifra artikla:  
**34.001.60**

### GC-PM 51/2 S HW B&S Samohodna benzinska kosilica

- Motor: 4-taktni, 150 ccm
- Snaga motora: 2.2 kW (3KS)
- Br. obrtaja: 2,900 min<sup>-1</sup>
- Gorivo: Benzin
- Zapremina rezervoara goriva: 0.8 l
- Širina reza: 51 cm
- 6 postavki visine reza: 30-80 mm
- Zapremina korpe: 70 l
- Prečnik točkova: 204/280 mm
- Težina: 32.5kg



šifra artikla:  
**34.043.40**

Rezervni nož  
34.056.60



Nož za malčovanje  
34.056.50

**Samohodna**

## GC-PM 52 S HW Samohodna benzinska kosilica

- Motor: 4-taktni, 173 ccm
- Snaga motora: 2.8kW (3.9KS)
- Br. obrtaja: 2,850 min<sup>-1</sup>
- Gorivo: Benzin
- Zapremina rezervoara goriva: 1.6 l
- Širina reza: 52 cm
- 6 postavki visine reza: 25-70 mm
- Zapremina korpe: 80 l
- Prečnik točkova: 200/280 mm
- Težina: 37.4 kg



šifra artikla:  
**34.047.60**

**samohodna**



## GC-PM 56 S HW Samohodna benzinska kosilica

- Motor: 4-taktni, 173 ccm
- Snaga motora: 2.8kW (3.9KS)
- Br. obrtaja: 2,850 min<sup>-1</sup>
- Gorivo: Benzin
- Zapremina rezervoara goriva: 1 l
- Širina reza: 56 cm
- 6 postavki visine reza: 25-70 mm
- Zapremina korpe: 80 l
- Prečnik točkova: 200/280 mm
- Težina: 40.3 kg



šifra artikla:  
**34.047.65**

**samohodna**



## BG-HM 30 Ručna kosilica

- Širina reza: 30 cm
- Prečnik osovine: Ø 125 mm
- Veličina točkova: Ø 218 mm
- Plastični pogonski valjak: Ø 45 mm
- Regulacija visine noževa: 15 - 42 mm



šifra artikla:  
**34.141.10**

## BG-HM 40 Ručna kosilica

- Širina reza: 40 cm
- Prečnik osovine: Ø 125 mm
- Veličina točkova: Ø 218 mm
- Plastični pogonski valjak: Ø 50 mm
- Regulacija visine noževa: 15 - 35 mm



šifra artikla:  
**34.141.20**

## GC-ES 1231 Električni prozračivač za travu

- Snaga: 1200 W
- Radna širina: 310 mm
- Radna dubina: 3 nivoa | 9 mm
- Broj sečiva: 8 kom
- Prečnik prednjih točkova: 170 mm
- Prečnik zadnjih točkova: 60 mm
- Težina: 8.41 kg

Rez. vreća za sakupljanje **34.055.75**

Rez. valjak za rezanje **34.055.80**


Rez. valjak za prozračivanje **34.211.09**



## GC-ET 3023 Električni trimer za travu

- Snaga: 300 W
- Br. obrtaja: 11000 min<sup>-1</sup>
- Širina rezanja: 230 mm
- Prečnik konca: 1.5 mm
- Dužina konca: 600 cm
- Težina: 1.56 kg

Rez.glava sa koncem **34.056.95**



## GC-ET 4530 Set Električni trimer za travu

- Snaga: 450 W
- Br. obrtaja: 8800 min<sup>-1</sup>
- Širina rezanja: 300 mm
- Prečnik konca: 1.4 mm
- Dužina konca: 10 m
- Težina: 2,64 kg
- Isporuka sa tri rez. glave

Rez.glava sa koncem **34.056.85**



## GH-BC 25 AS Benzinska kosa/trimer

- Snaga: 0.75 kW (1 KS)
- Motor: 2-taktni
- Kapacitet: 25.4ccm
- Širina reza sa koncem: 42 cm
- Dužina konca: 4 m
- Prečnik konca Ø: 2 mm
- Rez sa nožem: 23 cm
- Zapremina rezervoara goriva: 0.45 l
- Težina: 6.3 kg



šifra artikla:  
**34.019.53**

## GH-BC 43 AS Benzinska kosa/trimer

- Snaga: 1.25 kW (1.7 KS)
- Motor: 2-taktni
- Kapacitet: 42.7 ccm
- Širina reza sa koncem: 42 cm
- Dužina konca: 4 m
- Prečnik konca Ø: 2.4 mm
- Rez sa nožem: 25.5 cm
- Zapremina rezervoara goriva: 1 l
- Težina: 8.8 kg



šifra artikla:  
**34.019.73**

## GE-BC 43 AS Benzinska kosa/trimer

- Snaga: 1.25 kW (1.7 KS)
- Motor: 2-taktni
- Kapacitet: 42.7 ccm
- Širina reza sa koncem: 46 cm
- Dužina konca: 6 m
- Prečnik konca Ø: 2.4 mm
- Rez sa nožem: 25.5 cm
- Zapremina rezervoara goriva: 1 l
- Težina: 10.5 kg



šifra artikla:  
**34.046.10**

**EXPERT**

**GC-EC 750 T**  
Makaze za rezanje žbunja

šifra artikla:  
**45.012.10**



- Snaga: 750 W
- Dužina mača: 200 mm
- Dužina reza: 180 mm
- Brzina rezanja: 11 m/s
- Zapremina rezervoara ulja: 60 mL
- Dužina teleskopske drške: 185 - 280 cm
- Težina: 4.2 kg

**OREGON**



Rezervni mač 45.001.68  
Rezervni lanac 45.001.88

**GC-CG 3,6 Li WT**  
Akumulatorske makaze

šifra artikla:  
**34.104.56**



- Baterija 3.6 V | 1300 mAh | Li-Ion
- Max. vreme neprekidnog rada: 60min
- Vreme punjenja: 3-5 sati
- Širina reza sa sečivom za travu: 7 cm
- Širina reza sa sečivom za žbunje: 10 cm
- Debljina reza sa sečivom za žbunje: 8 mm
- Razmak zuba: 8 mm
- Težina: 0.5 kg



**GH-EH 4245**  
Makaze za rezanje žbunja

šifra artikla:  
**34.034.60**



- Snaga: 420 W
- Dužina reza: 450 mm
- Debljina reza: 12 mm
- Dužina mača: 510 mm
- Razmak zuba: 16 mm
- Rezova u minuti: 3,200
- Težina: 2.5 kg



**GC-EH 4550**  
Makaze za rezanje žbunja

šifra artikla:  
**34.033.70**



- Snaga: 450 W
- Brzina: 1600 min<sup>-1</sup>
- Dužina mača: 560 mm
- Dužina reza: 500 mm
- Razmak zuba: 16 mm
- Max. debljina reza: 12 mm
- Br. rezova: 3200 min<sup>-1</sup>
- Težina: 2.5 kg



**GC-EH 6055**  
Makaze za rezanje žbunja

šifra artikla:  
**34.033.50**



- Snaga: 600 W
- Brzina: 1500 min<sup>-1</sup>
- Dužina mača: 610 mm
- Dužina reza: 550 mm
- Razmak zuba: 26 mm
- Br. rezova: 3000 min<sup>-1</sup>
- Težina: 3.4 kg



**GC-PH 2155**  
Motorne makaze za žbunje

šifra artikla:  
**34.038.50**



- Snaga: 0.6 KS
- Motor: 2- taktni
- Zapremina motora: 21.3 ccm
- Dužina noževa: 64 cm
- Dužina reza: 55 cm
- Razmak zuba: 28 mm
- Maksimalna debljina reza: 22 mm
- Zapremina rezervoara: 0.3 l
- Težina: 6.2 kg



**GC-RT 1440 M**  
Električna kopačica

šifra artikla:  
**34.310.40**



- Snaga: 1,400 W
- Radna širina: 400 mm
- Radna dubina: max. 200 mm
- Noževi za kopanje: 6 kom / Ø 23 cm
- Brzina (unapred): 1
- Br. obrtaja praznog hoda: 110 min<sup>-1</sup>
- Težina: 11.61 kg



**GH-KS 2440**  
Električna seckalica za baštu

šifra artikla:  
**34.303.40**



- Snaga: 2,000 W
- Maks. debljina grana: Ø 40 mm
- Vreća za sakupljanje
- Broj obrtaja: 4,500 min<sup>-1</sup>
- Težina proizvoda: 11.2 kg



**GC-MT 3036**  
Benzinska motorna kopačica

šifra artikla:  
**34.302.90**



- Motor: 4-taktni, 1-cil., 139 cm<sup>3</sup>
- Snaga: 3 kW
- Brzina: 3600 min<sup>-1</sup>
- Zapremina rez. : 2.2 L
- Radna širina: 36 cm
- Radna dubina: 230 mm
- Noževi za kopanje: 4kom | 260 mm
- Težina: 33.6 kg



**GC-MT 3060 LD**  
Benzinska motorna kopačica

šifra artikla:  
**34.302.80**



- Motor: 4-taktni, 1-cil., 139 cm<sup>3</sup>
- Snaga: 3 kW
- Brzina: 3600 min<sup>-1</sup>
- Zapremina rez. : 2.2 L
- Radna širina: 60 cm
- Radna dubina: 230 mm
- Noževi za kopanje: 4kom | 260 mm
- Težina: 38kg



**GH-EC 1835**  
Električna lančana testera



- Snaga: 1.800 W
- Dužina vodice: 356 mm
- Dužina reza: 325 mm
- Brzina rezanja: 13.5 m/s
- Zapremina ulja.: 160 ml
- Težina: 5.0 kg

**OREGON**

šifra artikla:  
**45.017.10**

**GH-PC 1535 TC**  
Benzinska motorna testera



- Zapremina motora: 41 ccm
- Zapremina rezervoara za ulje: 210 ml
- Zapremina rezervoara: 260 ml
- Dužina mača: 35 cm
- Brzina rezanja: 21 m/s
- Snaga: 1.5 kW / 2 KS
- Težina: 5.55 kg



šifra artikla:  
**45.018.20**

**GH-EC 2040**  
Električna lančana testera



- Snaga: 2.000 W
- Dužina vodice: 406 mm
- Dužina reza: 375 mm
- Brzina rezanja: 13.5 m/s
- Zapremina ulja.: 160 ml
- Težina: 5.0 kg

**OREGON**

šifra artikla:  
**45.017.20**

**BG-PC 4040/1**  
Benzinska motorna testera



- Zapremina motora: 40.1 ccm
- Zapremina rezervoara za ulje: 210 ml
- Zapremina rezervoara: 400 ml
- Dužina mača: 40 cm
- Brzina rezanja: 21 m/s
- Snaga: 1.5 kW / 2.0 KS
- Težina: 5.35 kg



šifra artikla:  
**45.013.53**

**GE-EC 2240**  
Električna lančana testera



- Snaga: 2.200 W
- Dužina vodice: 406 mm
- Dužina reza: 375 mm
- Brzina rezanja: 15 m/s
- Zapremina ulja.: 160 ml
- Težina: 5.6 kg

**EXPERT**

**OREGON**

šifra artikla:  
**45.017.40**

**BG-PC 5045**  
Benzinska motorna testera



- Zapremina motora: 50.1 ccm
- Zapremina rezervoara za ulje: 260 ml
- Zapremina rezervoara: 550 ml
- Dužina mača: 45 cm
- Brzina rezanja: 19 m/s
- Snaga: 2.2 kW / 3.0 KS
- Težina: 7.26 kg



šifra artikla:  
**45.013.81**

**BG-EL 2500/2 E**  
Električni usisivač lišća

- Snaga: 2.500 W
- Brzina vazduha: 240 km/h
- Usisni kapacitet: 780 m<sup>3</sup>/h
- Br. obrt. praznog hoda n<sub>0</sub>: 7.000 - 15.000 min<sup>-1</sup>
- Funkcija seckanja: 10:1
- Težina: 3.1 kg



šifra artikla:  
**34.332.60**

**BT-LS 44**  
Horizontalni cepač drva



- Motor: 1.500 W
- Maks. snaga cepanja: 4 t
- Maks. hod cepanja: 310 mm
- Zapremina rezervoara za ulje: 2.4 l
- Nivo buke L<sub>PA</sub>: 78 dB(A)
- Prihvatni prečnik: 50 - 250 mm
- Maks. dužina: 370 mm

šifra artikla:  
**34.320.13**

**BG-PS 5**  
Prskalica pod pritiskom

- Maks. zapremina rezervoara: 5 l
- Maksimalni pritisak.: 2.5 bar
- Potrošnja maks.: 1.07 l/min
- Prečnik mlaznice: Ø 1 mm
- Okretnost mlaznice: maks. 60 stepeni



**BG-PS 1,5/1**  
Prskalica pod pritiskom



šifra artikla:  
**34.251.52**

šifra artikla:  
**34.251.64**

**Pumpa za benzin i ulje**

- Dužina usisnog creva: 1.3 m
- Kapacitet posude: 1.6 l



šifra artikla:  
**34.070.00**

**Zaštitni šlem**

- Sa zaštitom za uši
- Sa zaštitom za lice



šifra artikla:  
**45.004.80**

**Komplet glava sa koncem**



šifra artikla:  
**340464001002**



# Einhell®

German  
Designed  
Quality  
Einhell Germany AG



## PROGRAM VODA

### GH-DP 3730 Potopna pumpa



- Snaga: 370 W
- Maks. dostavni kapacitet: 9,000 l/h
- Maks. dostavna visina: 5 m
- Maks. dubina potapanja: 5 m
- Maks. temperatura vode: 35 °C
- Priključak za crevo: G1½ (47.8 mm) ženski
- Maks. veličina nečistoće: Ø 30 mm
- Naponski kabl: 10 m H05RN-F
- ON funkcija: oko 50 cm
- OFF funkcija: oko 5 cm
- Min. nivo usisa: oko 40 mm
- Težina: 4.3 kg

šifra artikla:  
**41.704.71**

### GH-DP 7835 Potopna pumpa




- Snaga: 780 W
- Maks. dostavni kapacitet: 15,700 l/h
- Maks. dostavna visina: 8 m
- Maks. dubina potapanja: 7 m
- Maks. temperatura vode: 35 °C
- Priključak za crevo: G1½ (47.8 mm) ženski
- Maks. veličina nečistoće: Ø 35 mm
- Dužina kabla: 10 m
- ON funkcija: oko 50 cm
- OFF funkcija: oko 5 cm
- Min. nivo usisa: oko 40 mm
- Težina: 5.0 kg

šifra artikla:  
**41.706.82**

### GE-DP 5220 LL Potopna pumpa



- Snaga: 520 W
- Maks. dostavni kapacitet: 13500 L/h
- Maks. dostavna visina: 7.5 m
- Maks. dubina potapanja: 7 m
- Maks. temperatura vode: 35 °C
- Maks. veličina nečistoće: 20 mm
- Priključak za crevo: 47,8mm (G11/2 muški)
- Naponski kabl: 10 m | H05RN-F
- Pumpa počinje da usisava već od nivoa od 10 mm



šifra artikla:  
**41.707.80**

### GE-DP 7330 LL Potopna pumpa



- Snaga: 730 W
- Maks. dostavni kapacitet: 16,500 l/h
- Maks. dostavna visina: 8.5 m
- Maks. dubina potapanja: 7 m
- Maks. temperatura vode: 35 °C
- Priključak za crevo: G1½ (47.8 mm) muški
- Maks. veličina nečistoće: Ø 30 mm
- Naponski kabl: 10 m | H07RN-F
- Pumpa počinje da usisava već od nivoa od 10 mm



šifra artikla:  
**41.707.90**

### GC-DP 1020 N Potopna pumpa



- Snaga: 1,000 W
- Maks. dostavni kapacitet: 18,000 l/h
- Maks. dostavna visina: 9 m
- Maks. dubina potapanja: 5 m
- Maks. temperatura vode: 35° C
- Maks. veličina nečistoće: Ø 20 mm
- Naponski kabl: 10 m
- ON funkcija: oko 50 cm
- OFF funkcija: oko 5 cm
- Priključak creva: 47.8 mm (G 1 ½ ženski)
- Zaštitna kategorija: IPX 8
- Težina: 7.2 kg



šifra artikla:  
**41.707.73**

### GC-DP 1340 G Potopna pumpa



- Snaga: 1,300 W
- Maks. dostavni kapacitet: 23,000 l/h
- Maks. dostavna visina: 10 m
- Maks. dubina potapanja: 5 m
- Priključak creva: 59.6 mm (G2)
- Veličina nečistoće: Ø 40 mm
- Mrežni kabl: 10 m H07RN-F
- ON funkcija: 70 cm
- OFF funkcija: 20 cm
- Težina: 22.0 kg



šifra artikla:  
**41.707.42**

### GC-DW 900 N Potopna pumpa



- Snaga: 900 W
- Maks. dostavni kapacitet: 6000 l/h
- Maks. dostavna visina: 32 m
- Maks. dubina potapanja: 7 m
- Priključak creva: 1 ½" ženski
- Maks. temperatura vode.: 35 °C
- Dužina kabla: 10 m
- Veličina nečistoće: Ø 2.5 mm
- Težina: 8.9 kg

šifra artikla:  
**41.709.64**

### GC-DW 1300 N Dubinska pumpa



- Snaga: 1,300 W
- Maks. dostavni kapacitet: 5,000 l/h
- Maks. dostavna visina: 65 m
- Maks. dubina potapanja: 20 m
- Maks. temperatura vode: 35 °C
- Priključak creva: 1 ½"
- Maks. veličina nečistoće: čista voda
- Naponski kabl: 2 m
- Priključni kabl: 23 m
- Težina: 15.5 kg



STAINLESS STEEL

šifra artikla:  
**41.709.44**

**GC-GP 6538**  
**Baštenska pumpa**



- Snaga: 650 W
- Maks. dostavni kapacitet: 3,800 l/h
- Maks. dostavna visina: 36 m
- Maks. pritisak: 3.6 bar
- Usisni i izlazni priključak: 33.3 mm (R1) muški
- Maks. temperatura vode: do 35 °C
- Maks. usisna visina: 8 m
- Mrežni kabl: 1.4 m | H07RN-F



**BG-GP 1140 N**  
**Baštenska pumpa**



- Snaga: 1,100 W
- Maks. dostavni kapacitet: 4,000 l/h
- Maks. dostavna visina: 43 m
- Maks. pritisak: 4.3 bar
- Usisni i izlazni priključak: 1" ženski
- Maks. temperatura vode: do 35 °C
- Maks. usisna visina: 8 m



**GC-WW 6538**  
**Hidropak**



- Snaga: 650 W
- Maks. dostavni kapacitet: 3,800 l/h
- Maks. visina dostave: 36 m
- Maks. pritisak: 3,6 bar
- Maks. pritisak pri uključenju: 1,5 bar
- Maks. pritisak pri isključenju: 3 bar
- Zapremina rezervoara: 20 l
- Priključak za izlaz/usis: 33,3mm (R1muški)
- Maks. usisna visina: 8 m



**BG-WW 1038 N**  
**Hidropak**



- Snaga: 1,000 W
- Maks. dostavni kapacitet: 3,800 l/h
- Maks. visina dostave: 43 m
- Maks. pritisak: 4.3 bar
- Maks. pritisak pri uključenju: 1.5 bar
- Maks. pritisak pri isključenju: 3 bar
- Zapremina rezervoara: 20 l
- Priključak za izlaz/usis: 1" ženski
- Maks. usisna visina: 8 m



**BG-WW 1140 NN**  
**Hidropak**



**šifra artikla:**  
**41.732.21**

- Snaga: 1,100 W
- Maks. dostavni kapacitet: 4,000 l/h
- Maks. visina dostave: 43 m
- Maks. pritisak: 4.3 bar
- Maks. pritisak pri uključenju: 1.5 bar
- Maks. pritisak pri isključenju: 3 bar
- Zapremina rezervoara: 20 l
- Priključak za izlaz/usis: 1" ženski
- Maks. usisna visina: 8 m



**GE-WW 9041 E**  
**Hidropak**



**šifra artikla:**  
**41.734.44**

- Snaga: 900 W
- Max. dostavni kapacitet: 4100 L/h
- Max. visina dostave: 48 m
- Max. pritisak: 4.8 bar
- Max. usisna visina: 8 m
- Max. temperatura vode: 35 °C
- Max. pritisak pri uključenju: 1.5 bar
- Max. pritisak pri isključenju: 3 bar
- Priključak za usis: 33,3mm (R1 ženski)
- Priključak za izlaz: 33,3mm (R1 ženski)
- Zapremina rezervoara: 20 L
- Naponski kabl: 1.5 cm | H07RN-F
- Težina: 14.22 kg



**GE-PW 45**  
**Benzinska pumpa za vodu**



**šifra artikla:**  
**41.713.70**

- 4-taktni motor: 4.8 kW / 6.5 KS
- Dostavni kapacitet: 23,000 l/h
- Dostavni pritisak: 2.6 bar
- Dostavna visina: 26 m
- Br. obrt. praznog hoda max.: 3,600 min<sup>-1</sup>
- Gorivo: benzin
- Usisna visina: 6.5 m
- Zapremina rezervoara: 3.6 l
- Težina: 23.0 kg




**BG-PP 1750 N**  
**Pumpa za fontanu**



**šifra artikla:**  
**41.724.55**

- Snaga: 50 W
- Maks. protok: 1,750 l/h
- Maks. visina potiska: 2 m
- Maks. dubina uranjanja: 3 m
- Mlaz: H110 cm Ø 93 cm



**BG-HR 60**  
**Kolica za baštensko crevo**



**šifra artikla:**  
**41.737.36**

- Bubanj za crevo:
  - Spoljašnji Ø: 135 mm
  - Unutrašnji Ø: 350 mm
  - Širina: 200 mm
- Profil točkova Ø: 137 mm
- Širina točkova: 33 mm
- Neto težina: 2.4 kg

**Usisno crevo 4m**



šifra artikla:  
**41.736.35**



**Predfilter 12cm**

šifra artikla:  
**41.738.01**

**Usisno crevo 7m**




šifra artikla:  
**41.736.45**



**Predfilter 25cm**

šifra artikla:  
**41.738.51**



**EINHELL doo Beograd**

Vojvođanska 386, 11271 Surčin  
Radno vreme: 8 – 16 h radnim danima  
Telefon: 011-2269-171; Faks: 011-2269-163

Komercijala:

Email: [komercijala@einhell.com](mailto:komercijala@einhell.com)  
Telefon: 011-2269-161/171/181 (opcija 1), faks: 011-2269-163

Finansije:

Zoran Stamenković (email: [zoran.stamenkovic@einhell.com](mailto:zoran.stamenkovic@einhell.com))  
Gordana Čukić (email: [gordana.cukic@einhell.com](mailto:gordana.cukic@einhell.com))  
Telefon: 011-2269-161/171/181 (opcija 2), faks: 011-2269-163

Logistika:

Predrag Đurišić (email: [predrag.djurisic@einhell.com](mailto:predrag.djurisic@einhell.com))  
Telefon: 011-2269-161/171/181 (opcija 2), faks: 011-2269-163

**EINHELL doo Beograd – SERVIS**

Vojvođanska 386, 11271 Surčin  
Radno vreme: 8 – 16 h radnim danima  
Telefon: 011-2269-162  
Email: [servis@einhell.com](mailto:servis@einhell.com)



EINHELL doo Beograd  Vojvođanska 386  11271 Beograd - Surčin

 German  
 Designed  
 Quality  
Einhell Germany AG



**Einhell®** WELL DONE.